

PART NUMBER INTERCHANGE

| IDC SELECT | BREWER | BROWNING | GATES | EXCEPTIONS |
|--|--------|----------|-------|--------------------------------|
| Idler Shafts (Including Set Collar and Grease Zerk) | | | | |
| SO1-C | SO1 | — | — | Same |
| SO2-F | SO2 | — | — | Same |
| SO3-F | SO3 | — | — | Same |
| SO4-F | SO4 | — | — | Same |
| SO5-F | SO5 | — | — | Same |
| SO6-F | SO6 | — | — | Same |
| N1-C | SO1 | N1 | — | Same |
| N2-C | NO2 | N2 | — | Same |
| N3-C | NO3 | N3 | — | Same |
| N4-C | NO4 | N4 | — | Same |
| N5-C | NO5 | N5 | — | Same |
| N6-C | NO6 | N6 | — | Same |
| Idler Bushings (Ball Bearing) | | | | |
| SH-BB | SH-B | — | — | Same |
| SDS-BB | SDS-B | — | — | Same |
| SD-BB | SD-B | — | — | Same |
| SK-BB | SK-B | — | — | Same |
| SK-BB HD | — | — | — | Same |
| SF-BB | SF-B | — | — | Same |
| E-BB | — | — | — | Same |
| F-BB | — | — | — | Same |
| 1610-BB | 1610-B | — | — | Same |
| 1615-BB | 1615-B | — | — | Same |
| 2012-BB | 2012-B | — | — | Same |
| 2012-BB x 1 | — | — | — | Same |
| 2517-BB | — | — | — | Same |
| H-BB | — | IDH1-1/2 | — | Bolt and jam nuts not included |
| P1-BB | — | IDP1-5/8 | — | Bolt and jam nuts not included |
| B-BB | — | N/A | — | Bolt and jam nuts not included |

| IDC SELECT | BREWER | BROWNING | GATES | EXCEPTIONS |
|--|--------|------------|-------|--------------------------------|
| Idler Bushings (Ball Bearing) continued | | | | |
| Q1-BB 3/4 | — | IDQ1 -3/4 | — | Bolt and jam nuts not included |
| Q1-BB 1 | — | IDQ1-1 | — | Bolt and jam nuts not included |
| R1-BB | — | IDR1-1 1/2 | — | Bolt and jam nuts not included |
| Idler Bushings (Needle Bearing) | | | | |
| SH-NB | SH-F | — | — | Same |
| SDS-NB | SDS-F | — | — | Same |
| SD-NB | SD-F | — | — | Same |
| SK-NB | SD-F | — | — | Same |
| SF-NB | SF-F | — | — | Same |
| 1610-NB | 1610-F | — | — | Same |
| 1615-NB | 1615-F | — | — | Same |
| 2012-NB | 2012-F | — | — | Same |
| 2517-NB | 2517-F | — | — | Same |
| Flat Faced Idlers (Ball Bearing) | | | | |
| CP1-BB | P1B | — | — | Same |
| CP2-BB | P2B | — | — | Same |
| CP3-BB | P3B | — | — | Same |
| CP4-BB | P4B | — | — | Same |
| CP6-BB | P6B | — | — | Same |
| Flat Faced Idlers (Needle Bearing) | | | | |
| CP1-NB | P1F | N4D1F | — | Same |
| CP2-NB | P2F | N4D2F | — | Same |
| CP3-NB | P3F | N4D3F | — | Same |
| CP4-NB | P4F | N6D4F | — | Same |
| CP6-NB | P6F | N6D6F | — | Same |



PART NUMBER INTERCHANGE

| IDC SELECT | BREWER | BROWNING | GATES | EXCEPTIONS |
|---|-------------|-------------|-------|--------------|
| Flat Faced Idlers (Bronze Bearing) | | | | |
| CP1 | P1 | — | — | Same |
| CP2 | P2 | — | — | Same |
| CP3 | P3 | — | — | Same |
| Idler Sprockets (Ball Bearing) | | | | |
| 35BB20H 5/8 | B3520H | — | — | Same |
| 40BB17H 5/8 | B4017H | HB40A17X5/8 | — | Same |
| 50BB15H 5/8 | B5015H | HB50A15X5/8 | — | Same |
| 60BB13H 5/8 | B6013H | HB60A13X5/8 | — | Same |
| 80BB12H 3/4 | B8012H | HB80A12X3/4 | — | Same |
| Idler Sprockets (Needle Bearing) | | | | |
| 25NB19H | 25B19F | HN25B19 | — | Hub diameter |
| 35NB13H | 35B13F | HN35B13 | — | Hub diameter |
| 35NB19H | 35B19F | HN35B19 | — | Hub diameter |
| 41NB19H | 41B19F | HN41B19 | — | Hub diameter |
| 40NB19H | 40B19F | HN40B19 | — | Hub diameter |
| 50NB17H | 50B17F | HN50B17 | — | Hub diameter |
| 60NB17H | 60B17F | HN60B17 | — | Hub diameter |
| D60NB17H | D60B17F | HND60B17 | — | Hub diameter |
| D80NB13H | D80B13F | HND80B13 | — | Hub diameter |
| D100NB11H | D100B11F | HND100B11 | — | Hub diameter |
| HTD® Idlers (Needle Bearing) | | | | |
| 19-8M-30NB | P19-8M-30F | — | — | Hub diameter |
| 29-8M-50NB | P29-8M-50F | — | — | Hub diameter |
| 27-14M-40NB | P27-14M-40F | — | — | Hub diameter |
| 27-14M-55NB | P27-14M-55F | — | — | Hub diameter |
| 27-14M-85NB | P27-14M-85F | — | — | Hub diameter |
| 31-14M-115NB | P31-14M-85F | — | — | Hub diameter |

| IDC SELECT | BREWER | BROWNING | GATES | EXCEPTIONS |
|--|-----------|----------|-------------|--------------------------------------|
| Poly Chain® GT®2 Style Belt Idlers (Ball Bearing) | | | | |
| 8M-32S-12-BB | — | — | 12-IDL-SPK2 | Hub diameter/ flange thickness |
| 8M-32S-21-BB | — | — | 21-IDL-SPK2 | Flange thickness |
| 8M-36S-36-BB | — | — | 36-IDL-SPK2 | Flange thickness |
| 8M-36S-62-BB | — | — | 62-IDL-SPK2 | Flange thickness |
| 14M-30S-20-BB | — | — | 20-IDL-SPK2 | Flange thickness |
| 14M-30S-37-BB | — | — | 37-IDL-SPK2 | Flange thickness |
| 14M-34S-68-BB | — | — | 68-IDL-SPK2 | Flange thickness |
| 14M-34S-90-BB | — | — | 90-IDL-SPK2 | Flange thickness |
| Single Adjusting Tensioner (Shaft Mounted) | | | | |
| SAT 3/8-16 | AS+SO1 | SATN1 | — | SAT 3/8-16 + N1-C or SO1-C |
| SAT 1/2-13 | — | SATH | — | Same |
| SAT 5/8-11 | — | SATP | — | Same |
| SAT 3/4-10 | AM 3/4-10 | SATQ | — | Same |
| SAT 3/4-16 | AM | — | — | Same |
| SAT 1-8 | — | SATQ-1 | — | Same |
| SAT 1-14 | AL | — | — | Same |



PART NUMBER INTERCHANGE

| IDC SELECT | BREWER | BROWNING | GATES | EXCEPTIONS |
|---|-----------|----------|--------------|----------------------------|
| Double Adjustable Tensioner (Base Mounted) | | | | |
| DAT 3/8-16 | SS+S01 | DATN1 | — | DAT 3/8-16 + N1-C or SO1-C |
| DAT 3/4-16 | SM | — | 10-IDL-BRAK2 | Same |
| DAT 1-14 | SL | — | 20-IDL-BRAK2 | Same |
| Fixed Angle Tensioner | | | | |
| FAT 3/8-16 | RS | FATN1 | — | FAT 3/8-16 + N1-C or SO1-C |
| FAT 3/4-10 | RM 3/4-10 | FATQ | — | Same |
| FAT 3/4-16 | RM | — | — | Same |
| FAT 1-14 | RL | — | — | Same |
| FAT 1-8 | — | FATQ-1 | — | Same |
| Adjustable Angle Tensioner | | | | |
| AAT 3/4-16 | RSM | — | — | Same |
| AAT 1-14 | RSL | — | — | Same |
| Fixed Flange Tensioner | | | | |
| FFT 3/8-16 | GS | FFTN1 | — | FFT 3/8-16 + N1-C or SO1-C |
| FFT 3/4-10 | GM 3/4-10 | FFTQ | — | Same |
| FFT 3/4-16 | GM | — | — | Same |
| FFT 1-14 | GL | — | — | Same |
| FFT 1-8 | — | FFTQ-1 | — | Same |
| Adjustable Flange Tensioner | | | | |
| AFT 3/4-16 | GSM | — | — | Same |
| AFT 1-14 | GSL | — | — | Same |
| AFT 3/4-10 | — | ATQ | — | Bolt holes and width |
| AFT 1-8 | — | ATQ-1 | — | Same |
| Adjustable Screw Tensioner | | | | |
| AST 3/8-16 | HS | — | — | Same |
| AST 3/4-16 | HM | — | — | Same |
| AST 1-14 | HL | — | — | Same |

| IDC SELECT | BREWER | BROWNING | GATES | EXCEPTIONS |
|---|---------|----------|-------|-------------|
| Sliding Tensioner | | | | |
| ST 3/8-16 | LS | — | — | Same |
| ST 3/4-16 | LM | — | — | Same |
| ST 1-14 | LL | — | — | Same |
| Heavy Duty Tensioner | | | | |
| HDBB1 | BB1 | — | — | Same |
| HDBB2 | BB2 | — | — | Same |
| HDBB3 | BB3 | — | — | Same |
| HDBB4 | BB4 | — | — | Same |
| VMT | MVL | — | — | Same |
| HMT | MHL | — | — | Same |
| SLT | MSL | — | — | Same |
| Automatic Tensioner | | | | |
| AT | TM | — | — | |
| Floating Tensioner (for reversible drives) | | | | |
| FT | XM | — | — | Same |
| Machined Shoulder Studs | | | | |
| MSS-.500 | IS-500 | — | — | Black oxide |
| MSS-.625 | IS-625 | — | — | Black oxide |
| MSS-.750 | IS-750 | — | — | Black oxide |
| MSS-16.500 | IS-165 | — | — | Black oxide |
| MSS-16.625 | IS-166 | — | — | Black oxide |
| MSS-16.750 | IS-167 | — | — | Black oxide |
| MSS-16.625-2 | IS-1662 | — | — | Black oxide |
| MSS-16.625-3 | IS-1663 | — | — | Black oxide |
| MSS-16.625-4 | IS-1664 | — | — | Black oxide |

