

## PNEUMATIC SCISSOR LIFT QUOTATION WORKSHEET

Company \_\_\_\_\_ Date \_\_\_\_\_  
 Contact \_\_\_\_\_ Quote Due \_\_\_\_\_ Desired Delivery \_\_\_\_\_  
 Phone No.: \_\_\_\_\_ Contact Email: \_\_\_\_\_ State \_\_\_\_\_  
 Omni Sales Contact: \_\_\_\_\_ Quote #: \_\_\_\_\_

## APPLICATION INFORMATION

How is lift to be used? \_\_\_\_\_  
 \_\_\_\_\_

Equipment mounted to platform: \_\_\_\_\_

Product description: \_\_\_\_\_

Size: \_\_\_\_\_ W x \_\_\_\_\_ L x \_\_\_\_\_ H, WT = \_\_\_\_\_ LBS.

### Scissor Lift Requirements:

Quantity: \_\_\_\_\_ Capacity: \_\_\_\_\_ Platform Size: \_\_\_\_\_ W x \_\_\_\_\_ L

**Height Info.:**  
 Raised (32" std.) \_\_\_\_\_  
 Lowered (8" std.) \_\_\_\_\_  
 Travel (24" std.) \_\_\_\_\_

**Cycle Info.:**  
 Jogs/Cycle \_\_\_\_\_  
 Cycles/Hour \_\_\_\_\_  
 Hours/Day \_\_\_\_\_  
 Annually \_\_\_\_\_

### Controls:

- Foot Valve
- Hand Valve
- None
- Air Regulator w/Relief Valve Std.

### Mounting:

- Floor Mount
- Pit Mount
- Portable

### Plant Air Required:

- 80-100 PSI @ 15 SCFM

### Options:

- Motion Stabilizer
- Skirting
- Air Lock (anti-fall)
- High Cycle (regreaseable)
- Stainless


Other: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

### How is lift loaded?

- End
- Side
- When raised
- When lowered

### How is it unloaded?

- End
- Side
- When raised
- When lowered



Approval Drawing Required:  Yes  No