

6

Series

- Top Plate Swivel & Rigid
- Capacity up to 1500 lbs each

www.colsoncaster.com

Standard Features

- Attractive zinc plated finish
- Full double ball hardened raceways
- 1/2" hollow axle with grease zerk and lock nut
- Plastic seal/retainer washer (roller bearing models)
- 5/16" steel top plate for durability (1/4" rigid top plate)
- Heat treated bolt and nut king pin with 3/4" diameter bolt
- Grease fittings: wheel bearing and swivel raceway
- "Colson 45" multi-temp grease lubricates in extreme hot and cold temperatures



Fork / Wheel Options



NSF Listed
(See page 3) All models except swivel lock, thread guards, forged steel and cast iron core wheels (Specify **FSI**).




Hand Activated Swivel Lock
(See page 19) Available on all swivel casters in Bolt-On or Welded design.

Thread Guards
(See page 114) Available on many models (Specify **TG1** for metal or **TG2** for plastic).

Axle/Nut Options
AX2 Solid Axle (2" tread width)
NT1 Thick lock nut
NT2 Thin lock nut

Lube Options	Fork	Wheel
No Grease	GRF1	GRW1
Double Grease	GRF2	GRW2
300° Continuous	GRF3	GRW3
500° Continuous	Consult Factory	

Standard Dimensions



Caster Brake



Tread Lock
(See page 18)
Available on all swivel casters with 2" tread widths except V-Groove models (Specify **BRK1**).

Wheel Selection



Colson 6 Series Casters • Top Plate Swivel & Rigid • Capacity to 1500 lbs

Wheel Dia.	Tread Width	Capacity Each (Pounds)	Wheel Descriptions	Swivel Top Plate Roller Bearing Caster Models	Rigid Top Plate Roller Bearing Caster Models	Optional Bearings (Order information below chart)	Load Height	Swivel Radius	Weight lbs (Rigid Deduct 1.5 lbs)
4"	2"	300	Performa Rubber (Conductive/Flat)	6.04209.459 COND	6.04208.459 COND	PPBB	5 5/8	3 5/8	7 1/4
			Performa Rubber (Flat/Black)	6.04209.459.2	6.04208.459.2	Delrin, Prec. Ball, PPBB	5 5/8	3 5/8	7 1/4
		400	Performa Rubber (Flat/Grey)	6.04209.459	6.04208.459	Delrin, Prec. Ball, PPBB	5 5/8	3 5/8	7 1/4
			Trans-forma LT (Flat)	6.04209.489	6.04208.489	Delrin, PPBB	5 5/8	3 5/8	7 1/4
			Trans-forma (Flat)	6.04209.4E9	6.04208.4E9	Delrin, PPBB	5 5/8	3 5/8	7 1/4
			Moldon Rubber (Cast iron core)	6.04209.649.7	6.04208.649.7	Delrin, PPBB	5 5/8	3 5/8	9 1/4
		500	Polyolefin	6.04209.839	6.04208.839	Plain, Delrin, PPBB	5 5/8	3 5/8	7 1/4
		600	Trans-forma HD (Flat)	6.04209.4F9	6.04208.4F9	Delrin, PPBB	5 5/8	3 5/8	7 1/4
			Polyurethane HI-TECH	6.04209.929	6.04208.929	Delrin, PPBB	5 5/8	3 5/8	7 1/2
		700	Moldon Polyurethane (Aluminum core)	6.04209.939	6.04208.939	Delrin, PPBB	5 5/8	3 5/8	7 1/2
			Moldon Polyurethane (Cast iron core)	6.04209.949.7	6.04208.949.7	Delrin, PPBB	5 5/8	3 5/8	9 1/4
			Maxim	6.04209.539	6.04208.539	Delrin, Bronze, PPBB	5 5/8	3 5/8	6 3/8
			Phenolic	6.04209.339	6.04208.339	Delrin, PPBB	5 5/8	3 5/8	7 1/4
		800	Thermo	6.04209.839 HT	6.04208.839 HT	Plain, Bronze	5 5/8	3 5/8	8 1/4
			V-Groove	6.04209.739	6.04208.739	Delrin, PPBB	5 5/8	3 5/8	11
			1000	Endura Solid Elastomer	6.04209.839 EN	6.04208.839 EN	Delrin, Prec. Ball, PPBB	5 5/8	3 5/8
Cast Iron	6.04209.139			6.04208.139	Delrin, PPBB	5 5/8	3 5/8	9	
5"	2"	325	Performa Rubber (Conductive/Flat)	6.05209.459 COND	6.05208.459 COND	PPBB	6 1/2	4 5/16	9
		400	Moldon Rubber (Cast iron core)	6.05209.649.7	6.05208.649.7	Delrin, PPBB	6 1/2	4 5/16	11 1/4
		450	Trans-forma LT (Flat)	6.05209.489	6.05208.489	Delrin, PPBB	6 1/2	4 5/16	9
		500	Performa Rubber (Flat/Black)	6.05209.459.2	6.05208.459.2	Delrin, Prec. Ball, PPBB	6 1/2	4 5/16	9
			Performa Rubber (Flat/Grey)	6.05209.459	6.05208.459	Delrin, Prec. Ball, PPBB	6 1/2	4 5/16	9
		Trans-forma (Flat)	6.05209.4E9	6.05208.4E9	Delrin, PPBB	6 1/2	4 5/16	9	
		650	Polyolefin	6.05209.839	6.05208.839	Delrin, Plain, PPBB	6 1/2	4 5/16	9
		750	Polyurethane HI-TECH	6.05209.929	6.05208.929	Delrin, PPBB	6 1/2	4 5/16	8 1/2
			Trans-forma HD (Flat)	6.05209.4F9	6.05208.4F9	Delrin, PPBB	6 1/2	4 5/16	9
		1000	Maxim	6.05209.539	6.05208.539	Delrin, Bronze, PPBB	6 1/2	4 5/16	6 3/4
			Endura Solid Elastomer	6.05209.839 EN	6.05208.839 EN	Delrin, Prec. Ball, PPBB	6 1/2	4 5/16	8
			Moldon Polyurethane (Aluminum core)	6.05209.939	6.05208.939	Delrin, PPBB	6 1/2	4 5/16	8 3/4
			Moldon Polyurethane (Cast iron core)	6.05209.949.7	6.05208.949.7	Delrin, PPBB	6 1/2	4 5/16	11 1/4
		1500	Moldon Nylon	6.05209.939.3	6.05208.939.3	Delrin, PPBB	6 1/2	4 5/16	8
			Phenolic	6.05209.339	6.05208.339	Delrin, PPBB	6 1/2	4 5/16	8
			Thermo	6.05209.839 HT	6.05208.839 HT	Plain, Bronze	6 1/2	4 5/16	9
Cast Iron	6.05209.139		6.05208.139	Delrin, PPBB	6 1/2	4 5/16	10 3/4		
Forged Steel	6.05209.239	6.05208.239	Delrin, PPBB	6 1/2	4 5/16	11 1/4			
6"	2"	400	Trans-forma LT (Round)	6.06209.5B9	6.06208.5B9	Delrin, PPBB	7 1/2	4 3/4	7 3/4
			Performa Rubber (Conductive/Flat)	6.06209.459 COND	6.06208.459 COND	PPBB	7 1/2	4 3/4	7 3/4
		410	Performa Rubber (Conductive/Round)	6.06209.559 COND	6.06208.559 COND	PPBB	7 1/2	4 3/4	7 3/4
			Performa Rubber (Round/Grey)	6.06209.559	6.06208.559	Delrin, Prec. Ball, PPBB	7 1/2	4 3/4	7 3/4
		450	Trans-forma (Round)	6.06209.5E9	6.06208.5E9	Delrin, PPBB	7 1/2	4 3/4	7 3/4
			Moldon Rubber (Cast iron core)	6.06209.649.7	6.06208.649.7	Delrin, PPBB	7 1/2	4 3/4	12 1/4
		500	Trans-forma LT (Flat)	6.06209.489	6.06208.489	Delrin, PPBB	7 1/2	4 3/4	7 3/4
			Performa Rubber (Flat/Black)	6.06209.459.2	6.06208.459.2	Delrin, Prec. Ball, PPBB	7 1/2	4 3/4	7 3/4
		600	Performa Rubber (Flat/Grey)	6.06209.459	6.06208.459	Delrin, Prec. Ball, PPBB	7 1/2	4 3/4	7 3/4
			Trans-forma (Flat)	6.06209.4E9	6.06208.4E9	Delrin, PPBB	7 1/2	4 3/4	7 3/4
		650	Trans-forma HD (Round)	6.06209.5F9	6.06208.5F9	Delrin, PPBB	7 1/2	4 3/4	7 3/4
			Polyolefin	6.06209.839	6.06208.839	Plain, Delrin, PPBB	7 1/2	4 3/4	8 1/2
		700	Polyurethane HI-TECH	6.06209.929	6.06208.929	Delrin, PPBB	7 1/2	4 3/4	7 3/4
			Trans-forma HD (Flat)	6.06209.4F9	6.06208.4F9	Delrin, PPBB	7 1/2	4 3/4	7 3/4
		900	Triumph (Round/Blue)*	6.06209.96TF	6.06208.96TF	Prec. Ball	7 1/2	4 3/4	9 1/4
			Triumph (Round/Red)*	6.06209.96TS	6.06208.96TS	Prec. Ball	7 1/2	4 3/4	9 1/4
			Endura Solid Elastomer	6.06209.839 EN	6.06208.839 EN	Delrin, Prec. Ball, PPBB	7 1/2	4 3/4	9 1/4
			Maxim	6.06209.539	6.06208.539	Delrin, Bronze, PPBB	7 1/2	4 3/4	7 3/8
		1200	Moldon Polyurethane (Aluminum core)	6.06209.939	6.06208.939	Delrin, PPBB	7 1/2	4 3/4	9 1/4
			Moldon Polyurethane (Cast iron core)	6.06209.949.7	6.06208.949.7	Delrin, PPBB	7 1/2	4 3/4	12 1/2
			Moldon Nylon	6.06209.939.3	6.06208.939.3	Delrin, PPBB	7 1/2	4 3/4	9 1/4
			Phenolic	6.06209.339	6.06208.339	Delrin, PPBB	7 1/2	4 3/4	9 1/4
		1500	V-Groove	6.06209.739	6.06208.739	Delrin, PPBB	7 1/2	4 3/4	12
			Cast Iron	6.06209.139	6.06208.139	Delrin, PPBB	7 1/2	4 3/4	12 1/2
	2 1/2"		Forged Steel	6.06209.239	6.06208.239	Delrin, PPBB	7 1/2	4 3/4	12 1/2
			Phenolic	6.06259.369	6.06258.369	—	7 1/2	4 3/4	10 1/4
	Cast Iron	6.06259.169	6.06258.169	—	7 1/2	4 3/4	15 3/4		
	8"	2"	500	Performa Rubber (Conductive/Flat)	6.08299.459 COND	6.08298.459 COND	PPBB	9 1/2	6 1/4
Performa Rubber (Conductive/Round)				6.08299.559 COND	6.08298.559 COND	PPBB	9 1/2	6 1/4	8 1/2
600			Moldon Rubber (Cast iron core)	6.08299.649.7	6.08298.649.7	Delrin, PPBB	9 1/2	6 1/4	16 1/4
			Performa Rubber (Round/Grey)	6.08299.559	6.08298.559	Delrin, Prec. Ball, PPBB	9 1/2	6 1/4	8 1/2
675			Performa Rubber (Flat/Black)	6.08299.459.2	6.08298.459.2	Delrin, Prec. Ball, PPBB	9 1/2	6 1/4	8 1/2
			Performa Rubber (Flat/Grey)	6.08299.459	6.08298.459	Delrin, Prec. Ball, PPBB	9 1/2	6 1/4	8 1/2
900			Polyolefin	6.08299.839	6.08298.839	Plain, Delrin, PPBB	9 1/2	6 1/4	10 1/4
			Polyurethane HI-TECH	6.08299.929	6.08298.929	Delrin, PPBB	9 1/2	6 1/4	9 1/2
1000			Endura Solid Elastomer	6.08299.839 EN	6.08298.839 EN	Delrin, Prec. Ball, PPBB	9 1/2	6 1/4	11 1/2
			Triumph (Crown/Brown)*	6.08299.93TF	6.08298.93TF	Prec. Ball	9 1/2	6 1/4	11 1/2
1200			Triumph (Crown/Red)*	6.08299.93TS	6.08298.93TS	Prec. Ball	9 1/2	6 1/4	11 1/2
			Triumph (Round/Blue)*	6.08299.96TF	6.08298.96TF	Prec. Ball	9 1/2	6 1/4	11 1/2
			Triumph (Round/Red)*	6.08299.96TS	6.08298.96TS	Prec. Ball	9 1/2	6 1/4	11 1/2
			Phenolic	6.08299.339	6.08298.339	Delrin, PPBB	9 1/2	6 1/4	11 1/2
1400		Maxim	6.08299.539	6.08298.539	Delrin, Bronze, PPBB	9 1/2	6 1/4	8	
		Moldon Polyurethane (Aluminum core)	6.08299.939	6.08298.939	Delrin, PPBB	9 1/2	6 1/4	11 1/4	
	Moldon Polyurethane (Cast iron core)	6.08299.949.7	6.08298.949.7	Delrin, PPBB	9 1/2	6 1/4	16 1/4		
	Moldon Nylon	6.08299.939.3	6.08298.939.3	Delrin, PPBB	9 1/2	6 1/4	11 1/4		
1500	Cast Iron	6.08299.139	6.08298.139	Delrin, PPBB	9 1/2	6 1/4	16 1/4		
	Phenolic	6.08259.369	6.08258.369	—	9 1/2	6 1/4	13 1/4		
Cast Iron	6.08259.169	6.08258.169	—	9 1/2	6 1/4	18			
10"	2 1/2"	1500	Phenolic	6.10259.369	6.10258.369	—	11 1/2	7 25/32	14 3/4
			Cast Iron	6.10259.169	6.10258.169	—	11 1/2	7 25/32	22 1/2

*Triumph wheels available with Precision ball bearing only.

Bearing Options

Wheels feature roller bearings in above chart. To order optional bearings, see information to the right. To order caster with no wheel bearing, consult factory.



Roller Bearing

Metal cage roller bearing (Specify **WB29**).
Metal thrust & retainer washers (Specify **WSR1**).
Sintered iron step washers (Specify **WSR2**).
Sealed metal retainer washer (Specify **WSR3**).



Torrington Roller Bearing

Torrington style roller bearing with retainer (Specify **WB19**).



Delrin Bearing

For standard two-piece bearing change 9th digit to "1" (Example: 6.06209.931).
One-piece with steel thrust washers (Specify **WB11**).



Precision Ball Bearing

To order change 8th and 9th digits to "P5" (Example 6.06209.5P5).
Note: Performa 6" to 8" capacity decreases (See wheel section).



Pedestal Precision Ball Bearing (PPBB)

To order change 9th digit to "5" (Example: 6.06209.4F5).



Bronze Bearing

To order, change the 9th digit in model number to "4" (Example: 6.06209.534).

6 Series

6

Series ENFORCER®

www.colsoncaster.com

- Kingpinless Top Plate Swivel & Rigid
- Capacity up to 1500 lbs each

Standard Features

- Attractive zinc plated finish
- 1/4" fork leg thickness
- Single ball hardened swivel raceway
- 1/2" hollow axle with grease zerk and lock nut
- Plastic seal/retainer washer (roller bearing models)
- 5/16" steel top plate for durability (1/4" rigid top plate)
- Grease fittings: wheel bearing and swivel raceway
- Multi-temp grease lubricates in extreme hot and cold temperatures



Fork / Wheel Options



NSF Listed

(See page 3) All models except swivel lock, thread guards, forged steel and cast iron core wheels (Specify FSI).



Hand Activated Swivel Lock

(See page 19) Available on all swivel casters. Specify **MTG61** with standard top plate, **MTG62** with #2 top plate and **MTG64** with #4 top plate.

Thread Guards

(See page 114) Available on many models (Specify **TG1** for metal or **TG2** for plastic).

Load Height Option


Optional 9 1/2" load height (6 1/4" swivel radius) available for 8" swivel & rigid casters (Specify **LH9.5**).

Axle/Nut Options

AX2 Solid Axle
NT1 Thick lock nut
NT2 Thin lock nut


Lube Options	Fork	Wheel
No Grease	GRF1	GRW1
Double Grease	GRF2	GRW2
300° Continuous	GRF3	GRW3
500° Continuous	Consult Factory	

Standard Dimensions




Optional Top Plates

1 Top Plate (Specify MTG1).



4 Top Plate (Specify MTG4).



Caster Brake



Tread Lock


(See page 18) Available on all swivel casters except V-Groove models (Specify **BRK1**).



Side Lock

(See page 17) Available on all swivel models equipped with roller or one-piece Delrin bearing only (Specify **BRK3**).

Wheel Selection



Colson 6 Series Casters • Enforcer Kingpinless Top Plate Swivel & Rigid • Capacity to 1500 lbs

Wheel Dia.	Tread Width	Capacity Each (Pounds)	Wheel Descriptions	Swivel Top Plate Roller Bearing Caster Models	Rigid Top Plate Roller Bearing Caster Models	Optional Bearings (Order information below chart)	Load Height	Swivel Radius	Weight lbs (Rigid Deduct 2 lbs)
4"	2"	300	Performa Rubber (Conductive Flat)	6.04289.459 COND	6.04208.459 COND	PPBB	5 5/8	3 15/32	7 1/4
			Performa Rubber (Flat/Black)	6.04289.459.2	6.04208.459.2	Delrin, Prec. Ball, PPBB	5 5/8	3 15/32	7 1/4
		400	Performa Rubber (Flat/Grey)	6.04289.459	6.04208.459	Delrin, Prec. Ball, PPBB	5 5/8	3 15/32	7 1/4
			Trans-forma LT (Flat)	6.04289.489	6.04208.489	Delrin, PPBB	5 5/8	3 15/32	7 1/4
			Trans-forma (Flat)	6.04289.4E9	6.04208.4E9	Delrin, PPBB	5 5/8	3 15/32	7 1/4
			Moldon Rubber (Cast iron core)	6.04289.649.7	6.04208.649.7	Delrin, PPBB	5 5/8	3 15/32	8
		500	Polyolefin	6.04289.839	6.04208.839	Plain, Delrin, PPBB	5 5/8	3 15/32	7 1/4
		600	Trans-forma HD (Flat)	6.04289.4F9	6.04208.4F9	Delrin, PPBB	5 5/8	3 15/32	7 1/2
			Polyurethane HI-TECH	6.04289.929	6.04208.929	Delrin, PPBB	5 5/8	3 15/32	7 1/2
		700	Moldon Polyurethane (Aluminum core)	6.04289.939	6.04208.939	Delrin, PPBB	5 5/8	3 15/32	7 1/2
			Moldon Polyurethane (Cast iron core)	6.04289.949.7	6.04208.949.7	Delrin, PPBB	5 5/8	3 15/32	9 1/4
			Maxim	6.04289.539	6.04208.539	Delrin, Bronze, PPBB	5 5/8	3 15/32	5 7/8
			Phenolic	6.04289.339	6.04208.339	Delrin, PPBB	5 5/8	3 15/32	7 1/4
		800	V-Groove	6.04289.739	6.04208.739	Delrin, PPBB	5 5/8	3 15/32	11
		1000	Endura Solid Elastomer	6.04289.839 EN	6.04208.839 EN	Delrin, Prec. Ball, PPBB	5 5/8	3 15/32	7 1/4
			Cast Iron	6.04289.139	6.04208.139	Delrin, PPBB	5 5/8	3 15/32	9
5"	2"	325	Performa Rubber (Conductive Flat)	6.05289.459 COND	6.05208.459 COND	PPBB	6 1/2	3 29/32	9
		400	Moldon Rubber (Cast iron core)	6.05289.649.7	6.05208.649.7	Delrin, PPBB	6 1/2	3 29/32	8
		450	Trans-forma LT (Flat)	6.05289.489	6.05208.489	Delrin, PPBB	6 1/2	3 29/32	9
		500	Performa Rubber (Flat/Black)	6.05289.459.2	6.05208.459.2	Delrin, Prec. Ball, PPBB	6 1/2	3 29/32	9
			Performa Rubber (Flat/Grey)	6.05289.459	6.05208.459	Delrin, Prec. Ball, PPBB	6 1/2	3 29/32	9
			Trans-forma (Flat)	6.05289.4E9	6.05208.4E9	Delrin, PPBB	6 1/2	3 29/32	9
			Polyolefin	6.05289.839	6.05208.839	Plain, Delrin, PPBB	6 1/2	3 29/32	9
		750	Polyurethane HI-TECH	6.05289.929	6.05208.929	Delrin, PPBB	6 1/2	3 29/32	8 1/2
			Trans-forma HD (Flat)	6.05289.4F9	6.05208.4F9	Delrin, PPBB	6 1/2	3 29/32	9
		1000	Maxim	6.05289.539	6.05208.539	Delrin, Bronze, PPBB	6 1/2	3 29/32	6 1/4
			Endura Solid Elastomer	6.05289.839 EN	6.05208.839 EN	Delrin, Prec. Ball, PPBB	6 1/2	3 29/32	8
			Moldon Polyurethane (Aluminum core)	6.05289.939	6.05208.939	Delrin, PPBB	6 1/2	3 29/32	8 3/4
			Moldon Polyurethane (Cast iron core)	6.05289.949.7	6.05208.949.7	Delrin, PPBB	6 1/2	3 29/32	11 1/4
			Moldon Nylon	6.05289.939.3	6.05208.939.3	Delrin, PPBB	6 1/2	3 29/32	8
			Phenolic	6.05289.339	6.05208.339	Delrin, PPBB	6 1/2	3 29/32	8
			Cast Iron	6.05289.139	6.05208.139	Delrin, PPBB	6 1/2	3 29/32	10 3/4
			Forged Steel	6.05289.239	6.05208.239	Delrin, PPBB	6 1/2	3 29/32	11 1/4
6"	2"	400	Trans-forma LT (Round)	6.06289.589	6.06208.589	Delrin, PPBB	7 1/2	4 11/16	7 3/4
		410	Performa Rubber (Conductive Flat)	6.06289.459 COND	6.06208.459 COND	PPBB	7 1/2	4 11/16	7 3/4
			Performa Rubber (Conductive Round)	6.06289.559 COND	6.06208.559 COND	PPBB	7 1/2	4 11/16	7 3/4
		450	Performa Rubber (Round/Grey)	6.06289.559	6.06208.559	Delrin, Prec. Ball, PPBB	7 1/2	4 11/16	7 3/4
			Trans-forma (Round)	6.06289.5E9	6.06208.5E9	Delrin, PPBB	7 1/2	4 11/16	7 3/4
		500	Moldon Rubber (Cast iron core)	6.06289.649.7	6.06208.649.7	Delrin, PPBB	7 1/2	4 11/16	14
			Trans-forma LT (Flat)	6.06289.489	6.06208.489	Delrin, PPBB	7 1/2	4 11/16	7 3/4
		600	Performa Rubber (Flat/Black)	6.06289.459.2	6.06208.459.2	Delrin, Prec. Ball, PPBB	7 1/2	4 11/16	7 3/4
			Performa Rubber (Flat/Grey)	6.06289.459	6.06208.459	Delrin, Prec. Ball, PPBB	7 1/2	4 11/16	7 3/4
		700	Trans-forma (Flat)	6.06289.4E9	6.06208.4E9	Delrin, PPBB	7 1/2	4 11/16	7 3/4
			Polyolefin	6.06289.839	6.06208.839	Delrin, PPBB	7 1/2	4 11/16	10
		900	Polyurethane HI-TECH	6.06289.929	6.06208.929	Delrin, PPBB	7 1/2	4 11/16	9
			Trans-forma HD (Flat)	6.06289.4F9	6.06208.4F9	Delrin, PPBB	7 1/2	4 11/16	7 3/4
			Triumph (Round/Blue)*	6.06289.96TF	6.06208.96TF	Prec. Ball	7 1/2	4 11/16	9 1/4
			Triumph (Round/Red)*	6.06289.96TS	6.06208.96TS	Prec. Ball	7 1/2	4 11/16	9 1/4
		1100	Endura Solid Elastomer	6.06289.839 EN	6.06208.839 EN	Delrin, Prec. Ball, PPBB	7 1/2	4 11/16	9 1/4
			Maxim	6.06289.539	6.06208.539	Delrin, Bronze, PPBB	7 1/2	4 11/16	6 5/8
			Moldon Polyurethane (Aluminum core)	6.06289.939	6.06208.939	Delrin, PPBB	7 1/2	4 11/16	9 1/4
			Moldon Polyurethane (Cast iron core)	6.06289.949.7	6.06208.949.7	Delrin, PPBB	7 1/2	4 11/16	12 1/2
		1200	Moldon Nylon	6.06289.939.3	6.06208.939.3	Delrin, PPBB	7 1/2	4 11/16	9 1/4
			Phenolic	6.06289.339	6.06208.339	Delrin, PPBB	7 1/2	4 11/16	9 1/4
			V-Groove	6.06289.739	6.06208.739	Delrin, PPBB	7 1/2	4 11/16	12
			Cast Iron	6.06289.139	6.06208.139	Delrin, PPBB	7 1/2	4 11/16	12 1/2
		1500	Forged Steel	6.06289.239	6.06208.239	Delrin, PPBB	7 1/2	4 11/16	12 1/2
8"	2"	500	Performa Rubber (Conductive Flat)	6.08289.459 COND	6.08278.459 COND	PPBB	10 1/8	6 1/2	8 1/2
			Performa Rubber (Conductive Round)	6.08289.559 COND	6.08278.559 COND	PPBB	10 1/8	6 1/2	8 1/2
		600	Moldon Rubber (Cast iron core)	6.08289.649.7	6.08278.649.7	Delrin, PPBB	10 1/8	6 1/2	16 1/4
			Performa Rubber (Round/Grey)	6.08289.559	6.08278.559	Delrin, Prec. Ball, PPBB	10 1/8	6 1/2	8 1/2
		675	Performa Rubber (Flat/Black)	6.08289.459.2	6.08278.459.2	Delrin, Prec. Ball, PPBB	10 1/8	6 1/2	8 1/2
			Performa Rubber (Flat/Grey)	6.08289.459	6.08278.459	Delrin, Prec. Ball, PPBB	10 1/8	6 1/2	8 1/2
		900	Polyolefin	6.08289.839	6.08278.839	Plain, Delrin, PPBB	10 1/8	6 1/2	10 1/4
		1000	Polyurethane HI-TECH	6.08289.929	6.08278.929	Delrin, PPBB	10 1/8	6 1/2	9 1/2
			Endura Solid Elastomer	6.08289.839 EN	6.08278.839 EN	Delrin, Prec. Ball, PPBB	10 1/8	6 1/2	11 1/2
			Triumph (Crown/Brown)*	6.08289.93TF	6.08298.93TF	Prec. Ball	10 1/8	6 1/2	11 1/2
			Triumph (Crown/Red)*	6.08289.93TS	6.08298.93TS	Prec. Ball	10 1/8	6 1/2	11 1/4
		1200	Triumph (Round/Blue)*	6.08289.96TF	6.08298.96TF	Prec. Ball	10 1/8	6 1/2	11 1/4
			Triumph (Round/Red)*	6.08289.96TS	6.08298.96TS	Prec. Ball	10 1/8	6 1/2	11 1/4
			Maxim	6.08289.539	6.08278.539	Delrin, Bronze, PPBB	10 1/8	6 1/2	7 1/2
			Phenolic	6.08289.339	6.08278.339	Delrin, PPBB	10 1/8	6 1/2	11 1/2
		1400	Moldon Polyurethane (Aluminum core)	6.08289.939	6.08278.939	Delrin, PPBB	10 1/8	6 1/2	11 1/4
			Triumph (Crown)*	6.08289.93TF	6.08278.93TF	Prec. Ball	10 1/8	6 1/2	11 1/2
			Moldon Polyurethane (Cast iron core)	6.08289.949.7	6.08278.949.7	Delrin, PPBB	10 1/8	6 1/2	16 1/4
			Moldon Nylon	6.08289.939.3	6.08278.939.3	Delrin, PPBB	10 1/8	6 1/2	11 1/4
		1500	Cast Iron	6.08289.139	6.08278.139	Delrin, PPBB	10 1/8	6 1/2	16 1/4

*Triumph wheels available with Precision ball bearing only.

Bearing Options

Wheels feature roller bearings in above chart. To order optional bearings, see information to the right. To order caster with no wheel bearing, consult factory.



Roller Bearing

Metal cage roller bearing (Specify **WB29**).
Metal thrust & retainer washers (Specify **WSR1**).
Sintered iron step washers (Specify **WSR2**).
Sealed metal retainer washer (Specify **WSR3**).



Torrington Roller Bearing

Torrington style roller bearing with retainer (Specify **WB19**).



Delrin Bearing

For standard two-piece bearing change 9th digit to "1" (Example: 6.06289.931).
One-piece with steel thrust washers (Specify **WB11**).



Precision Ball Bearing

To order change 8th and 9th digits to "P5" (Example 6.06289.4P5).
Note: Performa 6" to 8" capacity decreases (See wheel section).



Pedestal Precision Ball Bearing (PPBB)

To order change 9th digit to "5" (Example: 6.06289.4F5).



Bronze Bearing

To order, change the 9th digit in model number to "4" (Example: 6.06289.534).

6 Series